

This Page Is Inserted by IFW Operations
and is not a part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images may include (but are not limited to):

- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

IMAGES ARE BEST AVAILABLE COPY.

**As rescanning documents *will not* correct images,
please do not report the images to the
Image Problem Mailbox.**

THIS PAGE BLANK (USPTO)



Europäisches Patentamt
European Patent Office
Office européen des brevets



(11) Publication number : **0 445 982 A2**

(12)

EUROPEAN PATENT APPLICATION

(21) Application number : **91301702.6**

(51) Int. Cl.⁵ : **A61K 7/06**

(22) Date of filing : **01.03.91**

(30) Priority : **02.03.90 US 487335**

(43) Date of publication of application :
11.09.91 Bulletin 91/37

(84) Designated Contracting States :
DE FR GB IT

(71) Applicant : **DOW CORNING CORPORATION**
3091 S. Saginaw Road
Midland Michigan 48686-0994 (US)

(72) Inventor : **Lamb, Joann**
1207 North Parkway
Midland, Michigan (US)
Inventor : **Dillon, Kathy Lee**
3035 Crestwood Court
Bay City, Michigan (US)

(74) Representative : **Lewin, John Harvey et al**
ELKINGTON AND FIFE Beacon House 113
Kingsway
London WC2B 6PP (GB)

(54) **Hair-care composition and methods of treating hair.**

(57) Hair care compositions containing a hydrophobic cationic emulsion of a highly branched and crosslinked silicone polymer. The silicone polymer is a polydimethylsiloxane and the silicone emulsions can be formulated into conditioners, styling gels, pump sprays and permanent hair waving products. The compositions are effective in enhancing wet and dry combing and feel of hair.


EP 0 445 982 A2

HAIR-CARE COMPOSITION AND METHODS OF TREATING HAIR

The present invention relates to hair care compositions which contain a hydrophobic cationic emulsion of a highly branched and crosslinked silicone polymer, preferably polydimethylsiloxane. These silicone emulsions can be formulated into conditioners, styling gels, pump sprays, permanent hair waving products, and the like and are especially effective in enhancing the wet and dry combing of hair.

The hydrophobic silicone emulsion of the present invention effectively sheets the surface of hair making the hair easier to comb and more desirable to feel. Accordingly, the present invention provides compositions and methods of hair treatment possessing significant advantages over the prior art.

This invention is directed to an aqueous hair care formulation in which the improvement comprises incorporating therein a hydrophobic cationic emulsion of a highly branched and crosslinked silicone polymer, the polymer being an organosiloxane of the formula:



wherein:

R is selected from the group consisting of hydrogen, a monovalent hydrocarbon radical and a halogenated monovalent hydrocarbon radical; and

n is an integer having an average value of from one to less than three, the branched and crosslinked silicone polymer being a highly branched and crosslinked polydimethylsiloxane and including less than about forty percent of linear silicone polymer as determined by extraction with toluene.

This invention is also related to a method for treating hair by incorporating into hair care formulations an effective amount of the hydrophobic cationic emulsion of a highly branched and crosslinked silicone polymer as referred to above.

The term "hair" as used in the present invention includes treated and untreated human hair, animal hair, and any type of fiber which requires ease of combing, softness and gloss. The hydrophobic cationic emulsions of highly branched and crosslinked silicone polymers used in the present invention and methods for their preparation are described in U.S. Patent No. 4,908,140.

The hydrophobic cationic emulsions of the present invention that enhance wet and dry combing in hair care formulations are primarily constituted of highly branched and crosslinked polydimethylsiloxanes and substituted derivatives wherein some methyl groups are substituted with organo-functional groups, i.e. amine, carboxyl, amide. The polydimethylsiloxanes used herein are high molecular weight branched and crosslinked polymers having a molecular weight of at least 100,000 and a viscosity above 50,000 centistokes.

These silicones are formulated into hair care compositions as emulsions. The method of preparation of the emulsions can be any conventional method by which emulsions are typically made. U.S. Patent No. 2,891,920 is an example of one method of preparing emulsions useable in the present invention. It should be noted that the emulsions prepared using the organofunctional siloxanes of the present invention are oil in water type emulsions. Some water in oil type products are prepared in the initial stages of homogenization during manufacture of the emulsions of this invention but these emulsions soon invert and become oil in water type emulsions. It should be further noted that in some cases where it is desired to optimize the emulsion product, certain co-surfactants may be used in the preparation of the emulsions of this invention. For example, useful co-surfactants are cationic surfactants and nonionic surfactants.

Examples of suitable cationic surfactants include aliphatic amines, aromatic amines with aliphatic substituents, organic quaternary ammonium compounds, polyethylenediamine, polypropanolpolyethanolamines and the like. Preferred cationic surfactants for use in the present invention include ARQUAD® T-27W (N-alkyl trimethyl ammonium chloride), manufactured by Amak, Inc., McCook, IL and MIRAPOL® A-15 (polyquaternary ammonium chloride), manufactured by The Miranol Chemical Company, Inc., Dayton, NJ. Examples of suitable nonionic surfactants include condensation products of fatty substances with ethylene oxide, condensation products of phenolic compounds having aliphatic side chains with ethylene oxide and the like. Preferred nonionic surfactants for use in the present invention include MAKON® 10 (alkylphenoxy polyoxyethylene ethanol), available from Stepan Chemical Company, Northfield, IL., and TERGITOL® 15-S-3 (C₁₁-C₁₅ secondary alcohol ethoxylate), available from Union Carbide Corp., Danbury, CN.

The hydrophobic cationic emulsion of this invention is present in hair care formulations in proportions of from 0.05 to 20%, and more preferably from 0.1 to 6%, by weight of the total weight of the composition.

Hair care formulations contemplated herein to benefit from addition of the hydrophobic cationic emulsion of this invention include, but are not limited to, conditioners, styling gels and pump sprays, and may be in the form of aqueous or aqueous-alcoholic dispersions and thickened or unthickened creams, gels, aerosol foams or sprays. In addition, such hair care formulations may contain one or more water soluble quaternized proteins; one or more silicone polymers; conditioning agents; and other adjuvants usually employed in cosmetics, such as sunscreens, perfumes, colorants, preserving agents, sequestering agents, emulsifiers, softeners and foam stabilisers.

The apparatus and testing procedures used herein are as follows:

Natural brown, European virgin hair was used. Three hair tresses per treatment were prepared for each material to be tested. About two grams of hair, root end, were glued to a 2" by 2" plastic tab. The tresses were cut so that the length of hair hanging below the tabs was six inches.

The following solutions and methods of preparation were used in the bleaching and waving of the tresses:

A) bleaching Solution

The bleaching solution was prepared by mixing seven grams of sodium chloride and 68.0 g of water until the sodium chloride dissolved. To this solution was added 10.0 g of urea, 3.0 g of glycerin and 12.0 g of ammonium hydroxide. The resulting solution was mixed on a 1:1 ratio with 6% hydrogen peroxide.

B) Permanent Waving Solution

The permanent waving solution included a reducing solution and a neutralizing solution. The reducing solution contained 84.4% distilled water, 7.65% concentrated thioglycolic acid and 7.95% concentrated ammonium hydroxide. The pH of the reducing solution was adjusted to 9.5 with sodium hydroxide. The neutralizing solution contained 92.7% distilled water and 7.3% hydrogen peroxide. The pH of the neutralizing solution was adjusted to 3.6 with phosphoric acid.

The bleaching and waving of the tresses was carried out by covering the tresses with the bleaching solution, followed by the reducing solution for twenty minutes each, during which time the tresses were agitated periodically. Each solution was applied only after the previous solution had been removed. The tresses were then rinsed with water before the neutralizing solution was applied. After five minutes, the tresses were again rinsed with water.

Shampoo was prepared according to the following formulation:

<u>Ingredient</u>	<u>Wt. %</u>
Water	61.95
STANDAPOL® A ¹	35.0
MONAMID® 1159 ²	3.0
KATHON® CG ³	0.05
	<u>100.00</u>

¹STANDAPOL® A (CTFA Adopted Name: Ammonium Lauryl Sulfate), available from Henkel, Inc., Teaneck, NJ., is the ammonium salt of lauryl sulfate where "lauryl" means predominantly a mixture of C12 and C14 alcohols, and is used as a surfactant. The "CTFA Adopted Name" is from the "CTFA Cosmetic Dictionary", 3rd edition, 1982, published by The Cosmetic, Toiletry and Fragrance Association, Inc., Washington, DC.

²MONAMID® 1159 (CTFA Adopted Name: Cocamide DEA), available from Mona Industries, Inc., Paterson, NJ., is N-cocoyldiethanolamide, and is used as a co-surfactant.

³KATHON® CG (CTFA Adopted Name: Methylchloroisothiazolinone (and) Methylisothiazolinone), available from Rohm and Haas Company, Inc., Philadelphia, PA., is a blend of 5-chloro-2-methyl-4-isothiazolin-3-one and 2-methyl-4-isothiazolin-3-one, and is used as an antimicrobial.

This shampoo formulation was prepared by heating water to about 40°C. and adding STANDAPOL® A and MONAMID® 1159. This mixture was stirred until a homogenous solution was obtained and KATHON® CG was added.

The shampooing of the tresses was carried out by rinsing the tresses for 30 seconds, squeezing out the excess water, applying 0.5 grams of shampoo and lathering for one minute, followed by rinsing with water for one minute.

Comparative quantitative combing studies were performed using an Instron Tensile Testing apparatus available from Instron Corporation, Canton, MA., which had been adapted with a hard rubber comb. This test involved passing a tress through a comb attached to a strain gauge which in turn is connected to a recording device. Measurements were taken of the peak combing force or maximum force to comb through each tress, as well as of the average combing load (ACL) to comb through each tress. The average combing load was determined by integrating the peak combing force and dividing by the length of hair combed in centimeters and is reported as a relative numerical value. The average combing load is an objective measure of the average force required to comb through a tress.

The invention will be further clarified by a consideration of the following examples. All parts and percentages in the examples are on a weight basis unless otherwise stated.

Example 1

This example illustrates the procedure used to prepare the emulsion used in the other examples. A mixture of 52.95 g of water, 8.8 g of ARQUAD® T-27W, 0.65 g of methyltrimethoxysilane and 35.0 g of cyclomethicone, was prepared. This mixture was passed twice through a Manton-Gaulin 15M8BA homogenizer set at 7500 psig. The resulting emulsion was rendered alkaline by the addition of 0.25 g of a 20% sodium hydroxide solution. The emulsion was then heated at 85°C for nine hours while being stirred. After cooling to 40°C., 0.15 g of concentrated phosphoric acid and 1.7 g MAKON® 10 was added while the emulsion continued to be stirred for one hour. The amount of phosphoric acid added should be such that the pH of the emulsion is between 4.5 to 9.0 and preferably from about 6.5 to about 8.0. The pH of these compositions may be adjusted with any cosmetically acceptable alkalizing or acidifying agent. Upon cooling to room temperature 0.5 g of KATHON® CG was added.

Example 2

This example shows that the incorporation of a hydrophobic cationic emulsion of a highly branched and crosslinked silicone polymer into a conditioning formulation enhances the combing and feel of both wet and dry hair that has been treated with such formulations.

<u>Ingredient</u>	<u>Wt. %</u>
Water	92.3
Silicone Emulsion	5.7
CERASYNT® Q ¹	1.0
POLAWAX® ²	1.0
	<u>100.00</u>

The above conditioning formulation containing the silicone emulsion was prepared by heating water to about 70°C. and adding CERASYNT® Q and POLAWAX®. This mixture was stirred until a homogenous solution was obtained and the silicone emulsion was added.

An organic conditioning formulation equivalent to the conditioning composition described above but without the silicone emulsion, was prepared according to the following formulation:

<u>Ingredient</u>	<u>Wt. %</u>
Water	91.0
Stearalkonium Chloride	5.0
CERASYNT® Q ¹	1.0
POLYWAX® ²	1.0
Cetyl Alcohol	2.0
	<u>100.00</u>

¹CERASYNT® Q (CTFA Adopted Name: Glyceryl Stearate SE), available from Van Dyk & Company, Inc., Belleville, NJ., is glyceryl monostearate, and is used as a thickener.

²POLAWAX®, available from Croda, Inc., Newark, NJ., is a nonionic emulsifying wax prepared from higher fatty alcohols and ethylene oxide.

The above comparative organic conditioning formulation was prepared by heating water to about 70°C. and adding CERASYNT® Q, stearalkonium chloride, POLAWAX® and cetyl alcohol. The mixture was stirred until a homogenous solution was obtained.

In order to evaluate the conditioning efficacy of the silicone emulsion the tresses were shampooed. The tresses were treated with the conditioner containing the silicone emulsion and with the comparative organic conditioner. Three tresses per treatment were used. Where a conditioner was applied, one gram was massaged into the tress for 60 seconds and the tress was rinsed with water at a temperature of about 40°C. Each wet tress was combed on the Instron Tensile Testing apparatus. Three combing strokes were conducted for each tress and averaged to obtain a representative value. Combs were changed for each treatment. After the average combing load was determined for each wet tress, the tresses were allowed to dry at room temperature for 18 hours before the average combing load was measured on the dry tresses. The test results are summarized in Table I. The higher values indicate hair that was harder to comb.

TABLE IEffect of Silicone Emulsion on the Average Combing Load

<u>Treatment</u>	<u>Dry Comb</u>	<u>Wet Comb</u>
Conditioner Containing Silicone Emulsion	9.4	24.9
Organic Conditioner (no silicone emulsion)	17.8	32.3
Blank (no conditioning additive)	29.5	58.6

Additional evaluations were conducted on the wet and dry tresses and these included subjective combing and feel tests. The subjective evaluations were conducted by a panel of four people. The evaluators rated the tresses on a scale of 1 to 5 with one being the best. The higher values indicate hair that was harder to comb and hair that was more coarse when touched. The average of these results is summarized in Table II.

TABLE IIEffect of Conditioner Containing Silicone Emulsion
on Subjective Combing and Feel

<u>Treatment</u>	<u>Wet Comb</u>	<u>Wet Feel</u>	<u>Dry Comb</u>	<u>Dry Feel</u>
Conditioner Containing Silicone Emulsion	1.33	1.42	1.25	1.33
Organic Conditioner (no silicone emulsion)	2.33	2.33	2.31	2.25
Blank (no conditioning additive)	2.79	2.58	2.50	2.50

As Table I and Table II clearly indicate, the conditioning composition containing the silicone emulsion proved to be superior in terms of ease of combing and desirability of feel than in the cases where the silicone emulsion was not utilized.

Example 3

This example shows that a hydrophobic cationic emulsion of a highly branched and crosslinked silicone polymer incorporated into a permanent hair waving formulation enhances the combing and feel of both wet and dry hair that has been treated with such a formulation. In this example, the silicone emulsion was added to the neutralizing solution of a permanent hair waving formulation and was evaluated against a control which was an identical neutralizing solution without the silicone emulsion. The same reducing solution of the permanent hair waving formulation was used for both treatments.

In order to evaluate the effect of the silicone emulsion in a hair waving formulation, tresses were shampooed and immersed in reducing solution. After 20 minutes, the tresses were rinsed with water having a temperature of about 40°C. The tresses were either immersed in the neutralizing solution containing the silicone emulsion or in the neutralizing solution without the silicone emulsion. Three tresses per treatment were used. After five minutes the tresses were rinsed with water. Each wet tress was combed on the Instron Tensile Testing apparatus. Three combing strokes were conducted for each tress and averaged to obtain a representative value. Combs were changed for each treatment. After the average combing load was determined for each wet tress, the tresses were allowed to dry at room temperature for 18 hours before the average combing load was measured on the dry tresses. The test results are summarized in Table 111. The higher values, the harder it was to comb the hair.

TABLE IIIEffect of Silicone Emulsion in Hair Waving Formulation

<u>Treatment</u>	<u>Average Combing Load</u>	
	<u>Dry Comb</u>	<u>Wet Comb</u>
Neutralizing Solution Containing Silicone Emulsion	19.4	25.0
Neutralizing Solution without Silicone Emulsion	27.0	70.1

As Table III clearly indicates, the permanent hair waving formulation containing the silicone emulsion proved superior in terms of providing ease of combing compared to the waving formulation without the silicone emulsion. In this example, the silicone emulsion was added to the neutralizing solution of the permanent hair waving formulation, however, equivalent results can be obtained by adding the silicone emulsion to the reducing part of the formulation.

Example 4

This example shows that a hydrophobic cationic emulsion of a highly branched and crosslinked silicone polymer incorporated into a styling gel enhances the combing and feel of both wet and dry hair that has been treated with such a formulation.

<u>Ingredient</u>	<u>Wt. %</u>
Water	85.0
QUATERNIUM®-15 ¹	0.1
CARBOPOL® 940 ²	1.0
Sodium Hydroxide (20% solution)	1.4
Silicone Emulsion	2.0
PVP/DMAEM® ³	10.0
Surfactant ⁴	0.5
	<u>100.00</u>

¹QUATERNIUM®-15 (CTFA Adopted Name: Quaternium-15), available from Dow Chemical USA, Midland, MI., is cis isomer 1-(3-chloroallyl)-3,5,7-triaza-1-azoniaadamantane chloride, and is used as a antimicrobial.

²CARBOPOL® 940 (CTFA Adopted Name: Carbomer 940), available from B.F. Goodrich Chemical Group, Cleveland, OH., is an acrylic acid polymer crosslinked with a polyfunctional agent, and is used as a thickener.

³PVP/DMAEM® (CTFA Adopted Name: PVP/Dimethylaminoethylmeth acrylate Copolymer), available from GAF Corporation, Wayne, NJ., is a copolymer of vinylpyrrolidone and dimethylaminoethylmethacrylate, and is used as a fixative.

⁴Surfactant--is any commercially available mixture of silicone glycol copolymer and polydimethylcyclsiloxane.

The styling gel was prepared by dissolving QUATERNIUM®-15 into water. CARBOMER® 940 was added to the water. A solution of sodium hydroxide was added followed by PVP/DMAEM® and the remaining ingredients. An equivalent styling gel formulation without the silicone emulsion was also prepared.

In order to evaluate the effect of the silicone emulsion in a styling gel formulation, tresses were shampooed. These tresses were then treated with the styling gel which contained the silicone emulsion or with the styling gel without the silicone emulsion. Three tresses per treatment were used. One-half a gram of the respective styling gels was massaged into each tress for 30 seconds. While still wet, subjective combing and feel tests were conducted on the tresses. The tresses were allowed to dry at room temperature for 18 hours before subjective combing and feel tests were conducted on the dry tresses. The subjective evaluations were conducted by a panel of four people. The evaluators rated the tresses on a scale of 1 for the best to 5. The higher values indicate hair that was harder to comb and hair that felt more coarse when touched. The average of these results are summarized in Table IV.

Table IV

Effect of Silicone Emulsion in Styling Gel

<u>Treatment</u>	<u>Wet Comb</u>	<u>Subjective Evaluations</u>		
		<u>Wet Feel</u>	<u>Dry Comb</u>	<u>Dry Feel</u>
Styling Gel containing Silicone Emulsion	2.17	2.08	1.58	1.83
Styling Gel without Silicone Emulsion	3.33	2.92	3.08	3.17

As Table IV clearly indicates, the styling gel containing the silicone emulsion proved to be superior in terms of ease of combing and desirability of feel than the styling gel where the silicone emulsion was not utilized.

Example 5

This example shows a hydrophobic cationic emulsion of a highly branched and crosslinked silicone polymer incorporated into a hair styling solution known commercially as a "spritz".

	<u>Ingredient</u>	<u>Wt. %</u>
	Water	95.3
5	Silicone Emulsion	1.0
	Conditioner ¹	0.5
	GAFQUAT® 734 ²	1.0
	PVP/VA® E-735 ³	2.0
10	GLYDANT® ⁴	0.2
		<u>100.00</u>

15 ¹Conditioner--is any commercially available dimethylsiloxane-glycol copolymer.

20 ²GAFQUAT® 734 (CTFA Adopted Name: Polquaternium-11), available from GAF Corporation, Wayne, NJ., is a copolymer of vinyl pyrrolidone and dimethylaminoethylmethacrylate quaternized with dimethyl sulfate, and is used as a conditioning agent.

25 ³PVP/VA® E-735 (CTFA Adopted Name: PVP/VA Copolymer), available from GAF Corporation, Wayne, NJ., is a copolymer of vinylpyrrolidone and vinyl acetate, and is used as a fixative.

30 ⁴GLYDANT® (CTFA Adopted Name: DMDM Hydantoin), available from Glyco, Inc., Greenwich, CN., is 1-(hydroxymethyl)-5,5-dimethyl hydantoin, and is used as a antimicrobial.

The hair spritz formulation was prepared by combining the water, GAFQUAT® 734 and PVP/VA® E-735, then adding the silicone emulsion. The mixture was stirred until a homogenous solution was obtained and GLYDANT® was added.

35 Very good combing and feel for both wet and dry hair was obtained after applying this composition to the hair. In addition, this composition remained stable for at least three months at 40°C.

Example 6

40 This example shows a hydrophobic cationic emulsion of a highly branched and crosslinked silicone polymer may be incorporated into a leave-on conditioner formulation which also contains a sunscreen.

45

50

55

<u>Ingredient</u>	<u>Wt. %</u>
Water	95.95
Silicone Emulsion	3.0
UVINUL® MS-40 ¹	1.0
KATHON® CG ²	0.05
	<u>100.00</u>

¹UVINUL® MS-40 (CTFA Adopted Name: Benzophenone-4), available from BASF Wyandotte Corporation, Parsippany, NJ., is 2-hydroxy-4-methoxy-benzophen-one-5-sulfonic acid; sulisobenzene, and is used as a UV absorber.


²KATHON® CG (CTFA Adopted Name: Methylchloroisoithiazolinone (and) Methylisothiazolinone), available from Rohm and Haas Company, Inc., Philadelphia, PA., is a blend of 5-chloro-2-methyl-4-isothiazolin-3-one and 2-methyl-4-isothiazolin-3-one, and is used as a antimicrobial.

The conditioner formulation was prepared by combining the water and UVINUL® MS-40 and adding the silicone emulsion. The mixture was stirred until a homogenous solution was obtained and KATHON® CG was added. Very good combing and feel for both wet and dry hair was obtained after applying this composition to the tresses. In addition, this composition remained stable for at least three months at 40°C.

It will be apparent from the foregoing that many other variations and modifications may be made in the structures, compounds, compositions and methods described herein without departing substantially from the essential features and concepts of the present invention. Accordingly, it should be clearly understood that the forms of the invention described herein are exemplary only and are not intended as limitations on the scope of the present invention.

Claims

1. In a hair treating formulation containing at least one conditioning agent the improvement comprising a conditioning agent which is a hydrophobic cationic emulsion of a highly branched and crosslinked silicone polymer, the polymer being an organosiloxane of the formula:




wherein:

R is selected from the group consisting of hydrogen, a monovalent hydrocarbon radical and a halogenated monovalent hydrocarbon radical; and

n is an integer having an average value of from one to less than three, the branched and crosslinked silicone polymer being a highly branched and crosslinked polydimethylsiloxane and including less than about forty percent of linear silicone polymer as determined by extraction with toluene.

2. The formulation of claim 1 wherein the branched and crosslinked silicone polymer is essentially polydimethylsiloxane.
3. A method for treating hair to enhance the wet and dry combing of hair comprising contacting the hair with a hydrophobic cationic emulsion of a highly branched and crosslinked silicone polymer, the polymer being an organosiloxane of the formula:



5

wherein:

R is selected from the group consisting of hydrogen, a monovalent hydrocarbon radical and a halogenated monovalent hydrocarbon radical; and

10 n is an integer having an average value of from one to less than three, the branched and crosslinked silicone polymer being a highly branched and crosslinked polydimethylsiloxane, and including less than about forty percent of linear silicone polymer as determined by extraction with toluene.

15

20

25

30

35

40

45

50

55

THIS PAGE BLANK (USPTO)